EXTERNAL PAVING



When it comes to external paving areas, Terrazzo pavers by Terrazzo Australian Marble are the ideal solution. With a honed finish as standard, no other paver is as easy to clean and maintain. Hydraulically pressed, no other paver is as strong or durable making them ideal material when extra strength is required.

BANKSTOWN PEDESTRIAN WALKWAY




BANKSTOWN CENTRO WALKWAY





STACEY STREET (BANKSTOWN)












FINGER WHARF (WOOLLOOMOOLOO)









DETAILED PAVING



ENARY CENTRE



CORPORATE PAVING





Pavers are available in various sizes and for certain projects special samples can be made to achieve the exact colour scheme required. Each individual paver has a 3mm chamfer for that prestigious look. Precast units for coping, stairs and skirtings are also available.


Supply only or supply and fix. Call one of our experienced team for expert advise for choosing the right paver to compliment your needs.








TERRAZZO PAVER COLOURS










TERRAZZO PAVER COLOURS









TILE SIZE CHART			
Sizes	EXTERNAL PAVERS		
	32mm	40mm	50mm
500 x 500mm	1	1	
400 x 400mm	1	1	1
300 x 300mm	1	1	1
600 x 300mm	1	1	
450 x 300mm	1	1	1
400 x 600mm	1	1	

TILES

PAVERS

STEPS & RISERS

PRECAST

INSITU

AMENITY PARTITIONS



TERRAZZO AUSTRALIAN MARBLE PTY LTD

4 Holbeche Road, Arndell Park NSW 2148 Postal Address: (PO Box 315, Doonside NSW 2767) Ph (02) 9672 1277 Fax (02) 9672 1007 Email: email@terrazzoaustralianmarble.com.au

www.terrazzoaustralianmarble.com.au

Samples contained in this brochure are reproduced as close as modern reproduction will allow. Marble being a natural product, is subject to slight variations in colour and may change without notice. Please use our brochure only as a guide – samples are available upon request.

